INVENTOR: Wilhelmus H.A. Bruls et al.

DOCKET NO.: NL 030905

CONTACT: Michael E. Marion (914) 333-9641

1/4

(1) VI = 
$$\max_{(\xi, \zeta) \in \Omega} |\mathbf{D}(x,y) - \mathbf{D}(x+\xi, y+\zeta)|;$$

(2) 
$$T_{MAD}(x,y) = T_{MAD_{high}} if Vl(x,y) < T_{Vl}$$
, else  $T_{MAD_{low}}$ ;

(3) 
$$S_{Fallback} = 1$$
 if MAD  $(x,y) > T_{MAD}(x,y)$ , else 0;

$$\mathbf{W_0} = \begin{bmatrix} 1.00 & 0.91 & 0.91 & 0.91 & 0.77 & 0.77 & 0.59 & 0.59 \\ 0.91 & 0.91 & 0.91 & 0.77 & 0.77 & 0.63 & 0.56 & 0.38 \\ 0.91 & 0.91 & 0.83 & 0.71 & 0.63 & 0.56 & 0.40 & 0.37 \\ 0.83 & 0.83 & 0.71 & 0.67 & 0.53 & 0.42 & 0.36 & 0.26 \\ 0.83 & 0.71 & 0.67 & 0.53 & 0.43 & 0.34 & 0.28 & 0.25 \\ 0.71 & 0.67 & 0.50 & 0.45 & 0.33 & 0.29 & 0.24 & 0.19 \\ 0.67 & 0.50 & 0.45 & 0.32 & 0.29 & 0.23 & 0.20 & 0.19 \\ 0.48 & 0.48 & 0.31 & 0.30 & 0.22 & 0.21 & 0.18 & 0.17 \end{bmatrix}$$

FIG.1

INVENTOR: Wilhelmus H.A. Bruls et al.

DOCKET NO.: NL 030905

CONTACT: Michael E. Marion (914) 333-9641




FIG.2




FIG.3

3/4




FIG.4




FIG.5




FIG.6